


ITEM NO.	PART NUMBER	QTY.	MATERIAL	Thickness
1	Holder Torch	2	5052-H32	0.375
2	End Cap	4	5052-H32	0.25
3	Gantry Plate	2	5052-H32	0.25
4	Bracket Chain Link	2	5052-H32	0.1875
5	Floating Z	1	5052-H32	0.1875
6	Support Plate	1	5052-H32	0.1875
7	Crossmember	2	AISI 1020	0.1875
8	Holder Slat	2	AISI 1020	0.1875
9	Leg	4	AISI 1020	0.1875
10	Mid Crossmember	1	AISI 1020	0.1875
11	Spacer	4	5052-H32	0.125
12	Slat	16	AISI 1020	0.125
13	Wire Tray Lower	1	5052-H32	0.075
14	Wire Tray Top	1	5052-H32	0.075
15	8mm Acme Nut Block1	1		
16	8mm leadscrew 290mm	1		
17	Aluminum Spacer 3mm	2		
18	Aluminum Spacer 6mm	8		
19	Aluminum Spacer 6mm_1	2		
20	Aluminum Spacer 40mm1	2		
21	Ball Bearing 5 x 10 x 4.2	8		
22	Ball Bearing 5 x 16 x 5	32		
23	Ball Bearing 5 x 16 x 5_1	4		
24	Ball Bearing 8 x 16 x 51	2		
25	C-Beam	3		
26	C-Beam 40x80x250 Linear Rail	1		
27	C-Beam End Mount	2		
28	Eccentric Spacer 6mm	8		
29	Flexible Coupling 5mm x 8mm	1		
30	GT3 Timing Pulley 20 Tooth	3		
31	Lock Collar 8mm_1	2		
32	Mini Eccentric Spacer 6mm	2		
33	Nema 23 Stepper Motor	4		
34	Nylon Insert Lock Nut M5	16		
35	Nylon Insert Lock Nut M5_1	4		
36	Nylon Spacer 0.125in	2		
37	Precision Shim 8 x 5 x 1	8		
38	Precision Shim 10 x 5 x 1	32		
39	Smooth Idler Pulley Wheel	2		
40	Solid V Wheel	16		
41	Xtreme Mini V Wheel	4		



Redseal Technical

TITLE CNC Plasma Table

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF Redseal Technical. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF RedsealTechnical IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL $\pm 1/16$
ANGULAR: BEND ± 1 MACH $\pm .5$
TWO PLACE DECIMAL $\pm .060$
THREE PLACE DECIMAL $\pm .030$

DRAWN BY
Paul Devloo

DATE

MATERIAL

THICKNESS

FINISH

SIZE
A

DWG. NO.
Table

REV

SCALE: 1:15 WEIGHT:

SHEET 1 OF 1